
2

Grid Layouts and Panel Formats

2.0 Introduction

The grids shown are proportional with all relationships based on the height of the primary legend, known as “x”. All other dimensions are a percentage of “x”. Standard legend sizes for ground identification signs are 4”, 6”, 9”, and 12”. Sizes for hanging identification signs are 3”, 4”, and 6”.

The size of the sign and the size of the legend depend on the limitations of the site, the viewing distance. The format of the legend will depend on the way the name logically breaks into lines of type.

Ground mounted sign panels will be sized in the horizontal dimension to the nearest whole number. For instance a panel that measures 16.2x with the longest legend line being 12.2x — right and left margins being 4x — will be adjusted to 16x.


Park Identification (Ground Mounted)



PI-1GA
1-Line Ground Mounted Format
with Arrowhead



PI-2GA
2-Line Ground Mounted Format
with Arrowhead



PI-3GA
3-Line Ground Mounted Format
with Arrowhead



PI-1GX
1-Line Ground Mounted Format
without Arrowhead



PI-2GX
2-Line Ground Mounted Format
without Arrowhead



PI-3GX
3-Line Ground Mounted Format
without Arrowhead

Park Identification (Hanging)



PI-2HA
2-Line Hanging Format
with Arrowhead




PI-3HA
3-Line Hanging Format
with Arrowhead



PI-4HA
4-Line Hanging Format
with Arrowhead



PI-2HX
2-Line Hanging Format
without Arrowhead



PI-3HX
3-Line Hanging Format
without Arrowhead




PI-4HX
4-Line Hanging Format
without Arrowhead

PI-1GA & PI-1GX: Park Identification, 1-Line Ground Mounted Format

	Legend and Arrowhead Size Based on Primary Legend Size			
Primary Legend: NPS Rawlinson Heavy +50 tracking	4"	6"	9"	12"
Overbar Legend: Frutiger Bold +50 tracking	1.33"	2"	3"	4"
Arrowhead Size (Panel)	6.8"	10.2"	15.3"	20.4"
Arrowhead Size (Structure)	14"	21"	31.5"	42"
Routed Dado	0.333"	0.5"	0.75"	1"


Note: Total panel width rounded to the nearest whole number, see note on page 72 (Proportional Size of Panels).



PI-1GA: 1-Line Ground Mounted Format with Arrowhead on Panel



Structure options for this grid format



PI-1GX: 1-Line Ground Mounted Format with Arrowhead on Structure




Structure for this grid format



PI-2GA & PI-2GX: Park Identification, 2-Line Ground Mounted Format

	Legend and Arrowhead Size Based on Primary Legend Size			
Primary Legend: NPS Rawlinson Heavy +50 tracking	4"	6"	9"	12"
Overbar Legend: Frutiger Bold +50 tracking	1.33"	2"	3"	4"
Arrowhead Size (Panel)	6.8"	10.2"	15.3"	20.4"
Arrowhead Size (Structure)	14"	21"	31.5"	42"
Routed Dado	0.333"	0.5"	0.75"	1"


Note: Total panel width rounded to the nearest whole number, see note on page 72 (Proportional Size of Panels).



Structure options for this grid format




PI-2GA: 2-Line Ground Mounted Format with Arrowhead on Panel



PI-2GX: 2-Line Ground Mounted Format with Arrowhead on Structure


Structure for this grid format




PI-3GA & PI-3GX: Park Identification, 3-Line Ground Mounted Format

	Legend and Arrowhead Size Based on Primary Legend Size			
Primary Legend: NPS Rawlinson Heavy +50 tracking	4"	6"	9"	12"
Overbar Legend: Frutiger Bold +50 tracking	1.33"	2"	3"	4"
Arrowhead Size (Panel)	6.8"	10.2"	15.3"	20.4"
Arrowhead Size (Structure)	14"	21"	31.5"	42"
Routed Dado	0.333"	0.5"	0.75"	1"


Note: Total panel width rounded to the nearest whole number, see note on page 72 (Proportional Size of Panels).



PI-3GA: 3-Line Ground Mounted Format with Arrowhead on Panel



Structure options for this grid format



PI-3GX: 3-Line Ground Mounted Format with Arrowhead on Structure



Structure for this grid format



PI-2HA & PI-2HX: Park Identification, 2-Line Hanging Format

Primary Legend: NPS Rawlinson Heavy +50 tracking

Overbar Legend: Frutiger Bold +50 tracking


Arrowhead Size (Panel)

Arrowhead Size (Structure)

Routed Dado




Legend and Arrowhead Size Based on Primary Legend Size

3"	4"	6"
1"	1.33"	2"
5.1"	6.8"	10.2"
	18"	27"
0.25"	0.333"	0.5"


*Note: Panels mounted in hanging format use standard width (12x) format.**Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.***PI-2HA: 2-Line Hanging Format with Arrowhead on Panel**

Maximum legend length not to intrude .75x margin on right edge of panel

Structure options for this grid format

**PI-2HX: 2-Line Hanging Format with Arrowhead on Structure**

Structure options for this grid format



PI-3HA & PI-3HX: Park Identification, 3-Line Hanging Format

Primary Legend: NPS Rawlinson Heavy +50 tracking

Overbar Legend: Frutiger Bold +50 tracking


Arrowhead Size (Panel)

Arrowhead Size (Structure)

Routed Dado



Legend and Arrowhead Size Based on Primary Legend Size

3"	4"	6"
1"	1.33"	2"
5.1"	6.8"	10.2"
	18"	27"
0.25"	0.333"	0.5"


*Note: Panels mounted in hanging format use standard width (12x) format.**Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.*

Maximum legend length not to intrude .75x margin on right edge of panel

Structure options for this grid format

**PI-3HA: 3-Line Hanging Format with Arrowhead on Panel**


Structure options for this grid format

**PI-3HX: 3-Line Hanging Format with Arrowhead on Structure**

PI-4HA & PI-4HX: Park Identification, 4-Line Hanging Format


Primary Legend: NPS Rawlinson Heavy +50 tracking	Legend and Arrowhead Size Based on Primary Legend Size		
Overbar Legend: Frutiger Bold +50 tracking	3"	4"	6"
Arrowhead Size (Panel)	1"	1.33"	2"
Arrowhead Size (Structure)	5.1"	6.8"	10.2"
Routed Dado	13.5"	18"	27"
	0.25"	0.333"	0.5"

Note: Panels mounted in hanging format use standard width (12x) format.
Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.




Maximum legend length not to intrude .75x margin on right edge of panel


Structure options for this grid format



PI-4HA: 4-Line Hanging Format with Arrowhead on Panel



Structure options for this grid format



PI-4HX: 4-Line Hanging Format with Arrowhead on Structure

Facility Identification

Mariposa Grove

FI-1G

1-Line Ground Mounted Format

Bridalveil Creek
Campground

FI-2G

2-Line Ground Mounted Format

Vogelsang
High Sierra
Campground

FI-3G

3-Line Ground Mounted Format

Valley View

FI-1H

1-Line Hanging Format

Tuolumne
Meadows

FI-2H

2-Line Hanging Format

Swinging
Bridge
Picnic Area

FI-3H

3-Line Hanging Format

Facility Identification with Park Identification, NPS Identification, and Arrowhead

National Park Service
U.S. Department of the Interior

Mt. Hershey

Buffalo National River

F/PI-1G

1-Line Ground Mounted Format
with Park IdentificationNational Park Service
U.S. Department of the InteriorDumbarton
Oaks Park

Rock Creek Park

F/PI-2G

2-Line Ground Mounted Format
with Park IdentificationNational Park Service
U.S. Department of the InteriorFort Point
National
Historic SiteGolden Gate
National Recreation Area

F/PI-3G

3-Line Ground Mounted Format
with Park IdentificationNational Park Service
U.S. Department of the Interior

Fort Mason

Golden Gate
National Recreation Area

F/PI-1H

1-Line Hanging Format
with Park IdentificationNational Park Service
U.S. Department of the InteriorTennessee
ValleyGolden Gate
National Recreation Area

F/PI-2H

2-Line Hanging Format
with Park IdentificationNational Park Service
U.S. Department of the InteriorCumberland
Knob Visitor
Center


Blue Ridge Parkway

F/PI-3H


3-Line Hanging Format
with Park Identification

FI-1G to FI-3G: Facility Identification, 1–3 Line Ground Mounted Formats


	Legend Size			
Legend: NPS Rawlinson Heavy +50 tracking	4"	6"	9"	12"
Routed Dado	0.333"	0.5"	0.75"	1"




FI-1G: 1-Line Ground Format



FI-2G: 2-Line Ground Format



FI-3G: 3-Line Ground Format




Structure options for these formats




FI-1H to FI-3H: Facility Identification, 1–3 Line Hanging Format

Legend: NPS Rawlinson Heavy +50 tracking	Legend Size		
Routed Dado	3"	4"	6"
	0.25"	0.333"	0.5"



Note: Panels mounted in hanging format use standard width (12x) format.
Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.




FI-1H: 1-Line Hanging Format



FI-2H: 2-Line Hanging Format



Structure options for this grid format




F/PI-1G and F/PI-1H: Facility/Park identification, 1-Line (Ground Mounted and Hanging Formats)

	Legend and Arrowhead Size Based on Primary Legend Size				
Primary Legend: NPS Rawlinson Heavy +50 tracking	3" *	4"	6"	9"	12"
Overbar Legend	1"	1.33"	2"	3"	4"
Secondary Legend: Frutiger Bold +50 tracking	1.5"	2"	3"	4.5"	6"
Arrowhead Size	5.1"	6.8"	10.2"	15.3"	20.4"
Routed Dado	0.25"	0.333"	0.5"	0.75"	1"


Note: Panels mounted in hanging format use standard width (12x) format.

Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.

**F/PI-1G: 1-Line Ground Mounted Format with Park Identification**

For ground mounted signs, total panel width will be rounded to nearest whole number.

Structure options for this format

**F/PI-1H: 1-Line Hanging Format with Park Identification**

1-Line Park ID



2-Line Park ID




1-Line Park ID



2-Line Park ID

Structure options for this grid format





**3" Legend for timber post hanging format only.*

F/PI-2G & F/PI-2H: Facility/Park identification, 2-Line (Ground Mounted and Hanging Formats)

	Legend and Arrowhead Size Based on Primary Legend Size				
Primary Legend: NPS Rawlinson Heavy +50 tracking	3" *	4"	6"	9"	12"
Overbar Legend	1"	1.33"	2"	3"	4"
Secondary Legend: Frutiger Bold +50 tracking	1.5"	2"	3"	4.5"	6"
Arrowhead Size	5.1"	6.8"	10.2"	15.3"	20.4"
Routed Dado	0.25"	0.333"	0.5"	0.75"	1"

Note: Panels mounted in hanging format use standard width (12x) format.

Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.




1-Line Park ID



2-Line Park ID

Structure options for this format


**F/PI-2G: 2-Line Ground Mounted Format with Park Identification**

1-Line Park ID



2-Line Park ID

Structure options for this grid format

**F/PI-2H: 2-Line Hanging Format with Park Identification**


**3" Legend for timber post hanging format only.*

F/PI-3G & F/PI-3H: Facility/Park identification, 3-Line Ground Mounted and Hanging Formats

	Legend and Arrowhead Size Based on Primary Legend Size				
Primary Legend: NPS Rawlinson Heavy +50 tracking	3" *	4"	6"	9"	12"
Overbar Legend	1"	1.33"	2"	3"	4"
Secondary Legend: Frutiger Bold +50 tracking	1.5"	2"	3"	4.5"	6"
Arrowhead Size	5.1"	6.8"	10.2"	15.3"	20.4"
Routed Dado	0.25"	0.333"	0.5"	0.75"	1"

Note: Panels mounted in hanging format use standard width (12x) format.

Specified wood structures use 3" (36" wide) and 4" (48" wide) panels. Custom masonry structures use 4" and 6" (72" wide) panels.




1-Line Park ID



2-Line Park ID

Structure options for this format


**F/PI-3G: 3-Line Ground Mounted Format with Park Identification**

1-Line Park ID



2-Line Park ID

Structure options for this grid format

**F/PI-3H: 3-Line Hanging Format with Park Identification**

**3" Legend for timber post hanging format only.*